

# Severe Weather Preparedness Week



# National Weather Service



## March 19-25, 2017

**March 19 - 25, 2017 is Severe Weather Preparedness Week in Indiana.** The National Weather Service (NWS), in conjunction with the Indiana State Police and Public Safety Commission, Indiana Department of Homeland Security, Department of Education, the Indiana Broadcaster's Association, the Red Cross, and Amateur Radio Operators will conduct a statewide **test of communication systems on Tuesday, March 21 at 10:15 A.M. and 7:35 P.M. EDT. If weather postpones the tests, make-up tests are Wednesday, March 22 at the same times listed.**

The goal of Severe Weather Preparedness Week is to build toward a **Weather Ready Nation** where Hoosiers are prepared for and respond to all dangerous weather and flood hazards.

This packet contains information about severe weather terms, safety rules, and some tornado events that affected Indiana. Daily statements will be issued on newswires and NOAA All Hazards Radio during the week. Your local National Weather Service office and our partners are available for interviews.

### SPRING 2017

#### In this issue:

Tornado Facts and Safety	2
Weather Ready Nation	3
Lightning Safety	4
Definitions; Red Cross Kits	5
Graphical Web Briefings	6
Heat Information	6
Volunteers needed!	7
Floods and Flash Floods	7

# Preparedness Week Daily Focus


<b><u>Sunday, March 19:</u></b>	<b>Kick-off;</b> Discuss Your, NWS, Media, Emergency Response Officials, Homeland Security, Red Cross, roles in Severe Weather
<b><u>Monday, March 20:</u></b>	<b>Severe Weather Outlook &amp; Watch;</b> Everyone's roles at the Outlook and Watch stages of an event
<b><u>Tuesday, March 21:</u></b>	<b>Warning;</b> Everyone's role in Warnings; emphasize statewide
<b><u>Wednesday, March 22:</u></b>	<b>Response;</b> Everyone's roles in responding to disasters (real-time response)
<b><u>Thursday, March 23:</u></b>	<b>Recovery;</b> Everyone's roles in the recovery process (days/weeks/months) after disaster
<b><u>Friday, March 24:</u></b>	<b>Weather Ready Nation;</b> Readyng your community for extreme weather, water and climate events
<b><u>Saturday, March 25:</u></b>	<b>Wrap-up;</b> importance of preparedness and action during threatening hazards.

#### OTHER DATES TO NOTE

- \* **Flood Safety Preparedness Week**  
March 19-25, 2017  
[www.weather.gov/floodsafety](http://www.weather.gov/floodsafety)
- \* **National Safe Boating Week**  
May 20-26, 2017  
[www.safeboatingcouncil.org](http://www.safeboatingcouncil.org)
- \* **Lightning Safety**  
Summer 2017  
[www.lightningsafety.noaa.gov](http://www.lightningsafety.noaa.gov)
- \* **Winter Weather Preparedness Week for Indiana**  
November 12-18, 2017

**Graphical Weather Briefings are available as "Top News of the Day" at the top of NWS homepages whenever significant weather or flood hazards may occur. #INWX**

# TORNADOES

 In 2016, Indiana saw 35 tornadoes while the annual average is 20. The last Indiana killer tornado was in 2012 in Henryville. Indiana had a record 72 tornadoes in 2011.

 Most tornadoes travel northeast. Forward speeds average near 30mph but can reach 60 mph. Other favored directions are from the northwest.

 Tornadoes occur year round but are most likely from April to June. Primary hours

## TORNADO SAFETY

### IN HOMES OR SMALL BUILDINGS:

Go to the basement (if available) or to an interior room on the lowest floor, such as a closet or bathroom. Wrap yourself in overcoats or blankets to protect yourself.

### IN SCHOOLS, HOSPITALS, FACTORIES, OR SHOPPING CENTERS:

Go to interior areas on the lowest floor. Stay away from glass and very large rooms. Follow the instructions of the facility safety officials.

### IN HIGH-RISE BUILDINGS:

Go to interior rooms or halls. Avoid exterior walls or glass.

### IN CARS OR MOBILE HOMES:


Most tornado deaths occur in cars and mobile homes. If you have time, leave them for a substantial structure or designated tornado shelter. As last resort, lie flat in your car or nearby ditch and use your hands to cover your head.



SEVERE  
WEATHER  
PREPAREDNESS  
WEEK



# *Weather Ready Nation*



NOAA's Weather-Ready Nation (WRN) is about building community resilience in the face of increasing vulnerability to extreme weather and water events. In recent years, increasing numbers of major storm and flood events have resulted in the greatest number of billion dollar disasters in our Nation's history. The NWS is transforming its operations to help America respond. In turn, officials, businesses and the public can make better, faster decisions to save lives and livelihoods.

The initiative includes several activities in every area of our work, from observing current conditions to increasing lead times on severe weather warnings to improving how we communicate our forecasts to the public. Building a Weather-Ready Nation starts with these internal actions, but requires the action of a vast nationwide network of partners including other government agencies and emergency managers, researchers, the media, insurance industry, non-profits, the private sector, the Weather Enterprise and more.

The goal of the WRN initiative is to support the mission of the National Weather Service by reducing risk and increasing community resilience for future extreme events.

#weatherreadynation see: <http://www.nws.noaa.gov/com/weatherreadynation/>



An offshoot of WRN is the Weather-Ready Nation Ambassador™ initiative. The Ambassador program is a way we recognize our partners and other entities who are improving America's resilience against extreme weather, water, and climate events. As a WRN Ambassador, partners commit to working with NOAA and other Ambassadors to strengthen national resilience against extreme weather. In effect, the WRN Ambassador initiative helps unify efforts across many disciplines, making the nation more ready, responsive, and resilient against extreme environmental hazards.

A Weather-Ready Nation (WRN) is where society's response should be equal to the risk from all extreme weather, water, and climate hazards. The WRN Ambassador initiative is a unifying effort that is action-oriented and serves as a force multiplier where new partnerships can lead to more partnerships. To be officially recognized as a WRN Ambassador, an organization must commit to: promoting Weather-Ready Nation messages and themes to their stakeholders; exploring innovative approaches for collaboration with your organization; engaging with NOAA personnel on potential collaboration opportunities; sharing success stories of preparedness and resiliency; serving as an example by educating others.

We in turn will help you, keeping Ambassadors informed of upcoming hazards or providing toolkits tied to weather safety campaigns.

See <http://www.nws.noaa.gov/com/weatherreadynation/ambassadors.html>

SEVERE  
WEATHER  
PREPAREDNESS  
WEEK



# Lightning Safety!



## LIGHTNING SAFETY

[www.lightningsafety.noaa.gov](http://www.lightningsafety.noaa.gov)

All thunderstorms produce lightning and are dangerous. Lightning kills more people each year than tornadoes.

Lightning can strike as far as 10 miles away from any rainfall. Many deaths from lightning occur ahead of the storm because people wait to the last minute before seeking shelter. **You are in danger from lightning if you can hear thunder.** If you can hear thunder, lightning is close enough that it could strike your location at any moment. Get inside! **“When thunder roars go indoors!”**

Lightning injuries can lead to permanent disabilities or death. On average, 10% of strike victims die; 70% of survivors suffer serious long term effects.


**Blue Skies and Lightning.** Lightning can travel sideways for up to 10 miles. Even when the sky looks blue and clear, be cautious. If you hear thunder, take cover. At least 10% of lightning occurs without visible clouds overhead in the sky.

- ~ **Inside a building with wiring or plumbing is safest. Inside a hard-topped vehicle is safer than outside but avoid contact with metal or outside parts of the vehicle.**
- ~ **If you can't get to a shelter, stay away from trees or open areas where you may be the tallest object.**
- ~ **Avoid metal! Avoid leaning against vehicles. Get off bicycles and motorcycles. Don't hold on to metal items such golf clubs, fishing rods, tennis rackets or tools.**
- ~ **Get out of the water, it's a great conductor of electricity. Don't stand in puddles of water, even if wearing rubber boots.**
- ~ **Move away from a group of people. Stay several yards away from other people. Don't share a bleacher bench or huddle in a group.**

## Lightning Deaths

25 million cloud-to-ground lightning strikes occur in the United States each year

Lightning can heat its path five times hotter than the surface of the sun



- Near telephone poles
- On golf courses
- Near heavy equipment
- On or near bodies of water
- Under trees
- In fields or ballparks
- Other—includes riding a bike, mowing the lawn, talking on the phone, and climbing mountains

©1997 Oklahoma Climatological Survey. All rights reserved.



## SEVERE WEATHER PREPAREDNESS WEEK

# SEVERE WEATHER TERMS AND DEFINITIONS

**Warning** - A weather hazard is imminent or reported and requires **immediate action** to protect life and property.

**Watch** - Hazardous weather may occur. **Watch for information; review safety plans..**

**Severe Thunderstorm** - A thunderstorm that produces tornadoes, hail one inch or more in diameter, or winds of 50 knots (58 mph) or more.

**Slight Risk (of severe thunderstorms)** - Scattered severe thunderstorms possible. Thunderstorms short lived and not widespread. One or two tornadoes possible.

**Enhanced Risk (of severe thunderstorms)** - Numerous severe storms possible. Thunderstorms are more persistent and widespread.  
A few tornadoes.

**Moderate Risk (of severe thunderstorms)** - Widespread severe thunderstorms likely. Thunderstorms are long-lived, widespread and intense. Strong tornadoes. A Tornado Watch will likely be issued.

**High Risk (of severe thunderstorms)** - Widespread severe storms likely. Thunderstorms are long-lived, widespread and particularly intense. Used for a tornado outbreak or Derecho. A **high risk is rare**, and implies an unusually dangerous situation.

For more on Thunderstorm Risk Categories visit: [www.spc.noaa.gov/misc/about.html](http://www.spc.noaa.gov/misc/about.html)

## Be Red Cross Ready

Get A Kit. Make A Plan. Be Informed.



### Emergency Preparedness Kit for your home

- \* Food and water for 3 days (1 gallon of water per person per day)
- \* Flashlights and extra batteries
- \* Battery-powered or hand-crank radio (NOAA Weather Radio, if possible)
- \* First aid kit
- \* Medications (7-day supply) and medical items
- \* Multi-purpose tool
- \* Sanitation and personal hygiene items
- \* Copies of personal documents
- \* Cell phone contact information
- \* Extra cash



## Did You Know?

Special needs NOAA Weather Radios designed to meet the needs of the hearing impaired are available.


For more information, visit: <http://www.nws.noaa.gov/nwr> For Special Needs NOAA Weather Radio information, visit: <http://www.nssl.noaa.gov/edu/safety/specialneeds.html>

**NOAA All Hazards Radio**  
Keep ahead of the storm by listening to NOAA Weather Radio for the latest weather watches, warnings, and advisories. The Specific Area Message Encoding (SAME) feature of NOAA Weather Radio activates the Emergency Alert System (EAS). EAS is used to provide notification of emergencies to the public.

# SEVERE WEATHER PREPAREDNESS WEEK

# Graphical Web Briefings

Timing, Impact Details and Forecaster Confidence are available from your NWS Graphical Web Briefings



Graphical web briefings will be available from the National Weather Service websites, as needed, whenever significant, life threatening, hazardous weather or flooding is expected. Short Term Forecasts of hazardous weather may also be depicted graphically as needed.

The Graphical web briefings, when available, can be found as a "Top News of the Day" link or thumbnail graphic on our homepage.

## HEAT WAVE

### *How can I be prepared and stay safe?*

- Wear light clothes, sunglasses and a hat to protect yourself from the sun.
- Drink plenty of water, eat light meals, do not over exert yourself.
- Stay out of the sun when possible.
- #heatstrokekills, #checkforbaby

### Relative Humidity (%)

°F	40	45	50	55	60	65	70	75	80	85	90	95	100	Heat Index (Apparent Temperature)	With Prolonged Exposure and/or Physical Activity
110	136														Extreme Danger
108	130	137													Heat stroke or sun stroke highly likely
106	124	130	137												Danger
104	119	124	131	137											Sunstroke, muscle cramps and/or heat exhaustion likely
102	114	119	124	130	137										Extreme Caution
100	109	114	118	124	129	136									Sunstroke, muscle cramps and/or heat exhaustion likely
98	105	109	113	117	123	126	134								Extreme Caution
96	101	104	108	112	116	121	126	132							Sunstroke, muscle cramps and/or heat exhaustion likely
94	97	100	103	106	110	114	119	124	129	135					Caution
92	94	96	99	101	105	108	112	116	121	126	131				Fatigue possible
90	91	93	95	97	100	103	106	109	113	117	122	127	132		
88	88	89	91	93	95	98	100	103	106	110	113	117	121		
86	85	87	88	89	91	93	95	97	100	102	105	108	112		
84	83	84	85	86	88	89	90	92	94	96	98	100	103		
82	81	82	83	84	84	85	86	88	89	90	91	93	95		
80	80	80	81	81	82	82	83	84	84	85	86	86	87		

### Remember?

2012 was one of the hottest and driest summers of record in Indiana!

In 2006, 253 deaths nationwide were from heat



SEVERE  
WEATHER  
PREPAREDNESS  
WEEK



late surface observations to what is detected by NWS Doppler radar. See: <http://www.nssl.noaa.gov/projects/ping/>

**Skywarn Storm Spotter training** is also conducted each spring to help folks better understand signs for severe weather and report storm information to the National Weather Service. See your local NWS office home page for storm spotter talks in your area.

#Skywarn, #inwx, #nwsind, #indwx, #lmkwx, #pahwx, #nwsiw, ilwx, #cocorahs

## Weather Enthusiasts Wanted!

Volunteers may join the **CoCoRaHS** network, a non-profit community based network of volunteer weather observers to report daily rainfall (hail and snow). See <http://www.cocorahs.org>

The **PING Project** also is looking for volunteers to report precipitation to the National Severe Storms Laboratory. Reports are plotted on a national map. The data helps NWS Forecasters relate surface observations to what is detected by NWS Doppler radar. See: <http://www.nssl.noaa.gov/projects/ping/>

## Flood and Flash Flood Information

### CHECK OUT THE ADVANCED HYDROLOGIC PREDICTION SERVICE (AHPS)

AHPS is a great tool to check out the latest in river flood information. Information on flood stage, flood impacts and any current flood warnings or statements is available for each station on the map. If you live or work near a river or stream, this page will be of great help to you! <http://water.weather.gov/ahps/>

### FLOOD AND FLASH FLOOD SAFETY TIPS #flood

- Monitor NOAA All Hazards Radio or your favorite news source for vital weather information.
- If flooding occurs, get to higher ground, away from areas subject to flooding.
- Avoid areas already flooded and do not attempt to cross flowing streams.
- Do not drive around barriers that warn you the road is flooded. **Some cities and counties will issue a fine to motorists who ignore barriers!**
- Never drive through flooded roadways as road beds may be washed out under flood waters.
- If your vehicle is suddenly caught in rising water, leave it immediately and seek higher ground.
- Do not camp or park your vehicle along streams and washes, if there is a threat of flooding. Be especially cautious at night when it is harder to recognize flood dangers.

### FLOOD FACTS

#### According to FEMA:

The average annual U.S. flood losses from 1996-2005 was more than \$2.4 billion.

Hurricanes, winter storms and snow melt are common (but often overlooked) causes of flooding.

In 2008, major spring, summer and fall floods resulted in FEMA Disaster Declarations for most Indiana counties.

March 19-25, 2017

Flood Safety Week

[www.weather.gov/floodsafety](http://www.weather.gov/floodsafety)

## CRITICAL NWS FLOOD PRODUCTS


**Hydrologic Outlook:** This product alerts the public when flood producing rainfall is expected in 36 to 72 hours. During the months of February and March, this product also contains information on the potential for flooding from the spring snow melt.

**Flood Watch:** A flood or flash flood watch is issued when conditions are favorable for flooding or flash flooding to develop.

**Flash Flood Warning:** A warning is issued when rapid flooding is imminent. Flash floods quickly develop within six hours of a heavy rainfall event.

**Urban/Small Stream Flood Advisory (issued as a Flood Statement):** These statements are issued when minor flooding problems are expected, mostly in flood prone urban areas or near small streams that may rise quickly out of their banks. Even minor flooding can cause huge problems if proper precautions are not taken.

**Flood Warning:** These warnings are issued for river floods or for widespread flooding across a county. River flooding mostly occurs with longer periods of rain which result in slower rises in flood waters and a prolonged flood event.



## NATIONAL WEATHER SERVICE CONTACTS



[INDIANAPOLIS, IN](#)—David Tucek, david.tucek@noaa.gov, 317-856-0360 x726

[NORTHERN INDIANA](#)—Michael Lewis, michael.lewis@noaa.gov, 574-834-1104 x726

[CHICAGO, IL](#)—Mike Bardou, mike.bardou@noaa.gov, 815-834-0600 x726

[LOUISVILLE, KY](#)—Joe Sullivan, joe.sullivan@noaa.gov, 502-969-8842

[PADUCAH, KY](#)—Ricky Shanklin, ricky.shanklin@noaa.gov, 270-744-6440 x726

[WILMINGTON, OH](#)—Brandon Peloquin, brandon.peloquin@noaa.gov, 937-383-0428



**NOAA** NATIONAL OCEANIC AND  
ATMOSPHERIC ADMINISTRATION  
UNITED STATES DEPARTMENT OF COMMERCE

